



规格书

SPECIFICATION

CUSTOMER NAME	客户名称:	
CUSTOMER NO.	客户编号:	
SERIES	系 列:	手柄开关
MODEL NO.	型 号:	XB-X0914-R-F series
DRAWING NO.	图 形 号:	HANDLE SWITCH

If specification of this product meets your request, please confirm all the items of it and return to us with signature and stamp, it will be basis of our production and record. Thanks your cooperation in advance!

若此产品规格符合贵司要求，敬请确认此规格书内所有项目
并签名和盖章后回传给我司，以作我司产品制作之

依据和存档之用，多谢合作！

EXAMINE & APPROVAL 审批

APPROVE 接受	NOT APPROVE 不接受
SIGNATURE 签署 STAMP 盖章 DATE 日期	

PREPARED BY.制表人	CHECKED BY.校对	APPROVED BY.审核	APPROVAL BY.批准
研发部	品质部	工程部	总经办
戴海明	黄自清	庞军	吴量
2022. 06. 08	2022. 06. 08	2022. 06. 08	2022. 06. 08

东莞市溪榜电子有限公司

Dong guan Xi Bang Electronics Co., Ltd

地址：广东省东莞市黄江镇合路工业区

**Address:He Lu Industrial Zone, Huangjiang Town
Dongguan City, Guangdong Province**

Tel: (0769)82055138/82056828

Fax:(0769)83663452

邮箱: admin@alspr.com switch@alspr.com

<http://www.alpsr.cn/> <http://www.alpsr.com/>

Dong Guan XB ElectronicsCo., Ltd

AccountNumber: 705540238

BankName: CitibankN. A., HongKongBranch

Country/Region: Hong Kong



BankCode:006

BankAddress: 3GardenRoad, Central, Hong Kong


SWIFT/BIC: CITIHKHX (CITIHKHXXXX*If 11 characters are required)

MAiL: HK@ALPSR. CN XB@ALPSR. CN XB@ALPSR. COM


Quality core! Afterburner for Made in China!




DETAIL C
SCALE 2:1
(Switch连接)
母线接头



DETAIL A
SCALE 3:1



DETAIL B
SCALE 3:1




DETAIL D
SCALE 3:1

			 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.					
			单位	mm	比例		第 1 张	共 1 张
			Projected view			机种	原装滑轨	
NO.	DESCRIPTION	DATE	TOL UNLESS OTHERWISE STATED					
DRAWN BY	CHECKED BY	APPROVED BY	Less than 10 ±0.3 above 10~30 ±0.5 above 30~100 ±1 above ±5°			品名	XB-X0914-R-F	
GAO. PENG	HE. LONG. FEI	RUAN. NI. ZHAN						
						图号		

表格编号:

版本: A0




灯板线路图

(Switch连接) 母线接头	FPC接头
Pin A	Pin 5
Pin B	Pin 7
Pin C	Pin 8
Pin D	Pin 6
Pin E	Pin 10
Pin F	Pin 9
Pin G	Pin 11
Pin H	Pin 4
Pin I	Pin 3
Pin J	Pin 2

母座的接线图

N0. 序号	零件名称 Part Name	材料 Material	备注 Remarks
1	电源软板	FPC	
2	箭头盖	铝+黑色绝缘漆	
3	SL按键	PC+ABS	SL
4	开关按键	PC+ABS	SW
5	灯光控制板	FPC+玻纤板	
6	SR按键	PC+ABS	SR
7	解锁按键	PC+ABS	
8	导轨架	PC+ABS	



耐久特性:

- 1.滑轨插拔寿命5000次以上。
- 2.FPC金手指插拔寿命20次以上。
- 3.开关按键、SL按键和SR按键寿命10万次以上。

			东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONI CS CO., LTD.					
			单位	mm	比例		第 1 张	共 1 张
			Projected view			机种	原装滑轨	
NO.	DESCRIPTION	DATE	TOL UNLESS OTHERWISE STATED					
DRAWN BY	CHECKED BY	APPROVED BY	Less than 10 ±0.3			品名	XB-X0914-R-F	
GAO. PENG	HE. LONG. FEI	RUAN. NI. ZHAN	above 10~30 ±0.5					
			above 30~100 ±1					
			above ±5°					
			图号					

表格编号:

版本: A0