

5



1. CURRENT RATING: 5.0A MAX
2. VOLTAGE: 100 VAC
3. TEMPERATURE RANGE: -30 °C ~ 85 °C
4. CONTACT RESISTANCE: 40 MILLIONHM MAX
5. INSULATION RESISTANCE: 100 MEGOHMS MIN.
6. LNSERTION FORCE : 5N~20N
7. UNMATING FORCE: 8N~20N
8. DURABILITY: 10,000 CYCLES



MILLIMETERS	INCH	UNITS MM	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.				
X° ± 2°	X° ± 2°	MAT'L	PART NUMBER: XB-104316882		TITLE: TYPE C 单排16P沉板3.11(外壳点焊)		
.X ± 0.38	.XX ± 0.015	SEE NOTES					
.XX ± 0.25	.XXX ± 0.010	FINISH	APPD:		DWG NO.: C-104316882-00		
.XXX± 0.15	.XXXX± 0.006	SEE NOTES					
		QTY	CHKD:				
		SEE NOTES					
					SCALE	SHEET	REV.
					1:1	1/3	A0


5

RoHS



A1	GND	B12	GND
A4	VBUS	B9	VBUS
A5	CC1	B8	SBU2
A6	DP1	B7	DN2
A7	DN1	B6	DP2
A8	SBU1	B5	CC2
A9	VBUS	B4	VBUS
A12	GND	B1	GND
PIN	SIGNAL NAME	PIN	SIGNAL NAME

REV.	EC#	DESCRIPTION	DATE	DRAWING	CHECKED	APPROVED
A0		NEW RELEASE	07/12'21	QST	/	MOON




MILLIMETERS	INCH	UNITS MM	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.			
X° ± 2°	X° ± 2°	MAT'L				
.X ± 0.38	.XX ± 0.015	SEE NOTES				
.XX ± 0.25	.XXX ± 0.010	FINISH				
.XXX± 0.15	.XXXX± 0.006	SEE NOTES				
		SEE NOTES	PART NUMBER: XB-104316882	TITLE: TYPE C 单排16P沉板3.11(外壳点焊)		
		APPD:	DWG NO.: C-104316882-00			
		CHKD:				
		DR:				
		QTY	SCALE			
		SEE NOTES	SHEET			
			REV.			
			1:1			
			2/3			
			A0			

RoHS

User Direction of Unreeling

NOTES

1. NUMBER OF CONNECTORS:1500PCS/REEL
2. LEAD TAPE LENGTH



COVER TAPE PEELING ANGLE:165°~180°
PEELING FORCE:20~130g

CARRIER TAPE

3. QUANTITY:15000PCS/CARTON

User Direction of Unreeling

DETAIL-B

DETAIL B

4-TRIANGLE PARTITION

8-REEL

CARTON

TAPE ON

LABEL

MILLIMETERS	INCH	UNITS	MM	XGB 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		
X' ± 2°	X' ± 2°	MAT'L				
.X ± 0.38	.XX ± 0.015	SEE NOTES				
.XX ± 0.25	.XXX ± 0.010	FINISH				
.XXX ± 0.15	.XXXX ± 0.006	SEE NOTES				
		QTY				
		SEE NOTES				
				PART NUMBER:	TITLE:	
				XB-104316882	TYPE C 单排16P沉板3.11(外壳点焊)	
				APPD:	DWG NO.:	
				CHKD:	C-104316882-00	
				DR:		
					SCALE	SHEET
					1:1	3/3
						REV.
						A0