










Notes:

1. Dimension shall be interpreted per ASME Y14.5M1994.
2. Dimension marked ∇ & $\blacktriangledown$ should be checked by Q.C. and process, engineers and ∇ should also check the CPK data.

Specification:

1. Current Rating: 1.0 AMP
2. Voltage Rating: 30V AC,DC
3. Dielectric Strength: 500V AC RMS for 1 minute.
4. Contact Resistance: 30 m Ω Max.
5. Insulator Resistance: 500M Ω Min. AT 250V DC.
6. Mating/Unmating cycles: 2000cycles
7. Temperature: -20°C to +60°C




3	Shell	1	SUS304R-1/2H Ti/Ni PlatingT=0.30mm	
2	Contact	5	Phosphor bronze C5210R-EH Au/Ni Plating T=0.20mm	
1	Housing	1	PA9T&LCP (G.F30%) Black	
ITEM	PART NAME	Q'TY	FINISH	NOTE
X.	±0.50	X.*	±2°	UNITS mm
.X	±0.30	X.*	±1°	
.XX	±0.10	.XX*	±0.5°	
.XXX	±0.05			
			MAT'L	
			FINISH	
			Q'TY	
			APPD:	
			CHKD:	
			DR: Steven.Xie 2021/08/19	






X&B 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.		TITLE: Micro USB 5Pin SMT Type (B Type 流板平嘴水型 IP66)	
		DWG NO.:	
		XB-X13 USB	
SCALE	SHEET	REV.	
SCALE	1/3	A1	

CAD GENERATED DRAWING. DON'T CHANGE BY HAND.


REV.	ECN. NO.	APPD.



SEE DETAIL X








	REEL	CARTON
CONNECTOR (PCS)	1000	10000

X. ±0.50	X.° ±2°	UNITS mm	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONICS CO., LTD.	TITLE: Micro USB 5Pin SMT Type (B Type 沉板平口防水型)		
.X ±0.30	.X° ±1°					
.XX ±0.10	.XX° ±0.5°	MAT'L	PART NO. (INTENDED USE)	DWG NO.: XB-X13 USB		
XXX ±0.05						
			FINISH	APPD:	SCALE SHEET REV.	
				CHKD:		
			Q'TY	DR: Steven.Xie 2021/08/19		
					SCALE	A1

CAD GENERATED DRAWING. DON'T CHANGE BY HAND.

REV.	ECN. NO.	APPD.



X. ±0.50	X.° ±2°	UNITS mm	 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONI CS CO., LTD.	TITLE: Micro USB 5Pin SMT Type (B Type 流板平口防水型)								
.X ±0.30	.X° ±1°											
.XX ±0.10	.XX° ±0.5°	MAT'L 	PART NO. (INTENDED USE)	DWG NO.: XB-X13 USB								
.XXX ±0.05												
		FINISH 	APPD:	 <table><tr><td>SCALE</td><td>SHEET</td><td>REV.</td></tr><tr><td>SCALE</td><td>2/3</td><td>A1</td></tr></table>			SCALE	SHEET	REV.	SCALE	2/3	A1
		SCALE	SHEET				REV.					
		SCALE	2/3				A1					
Q'TY 	CHKD:											
		DR: Steven.Xie 2021/08/19										
5		6	7									