




7.P/N: UCR04-2161X-10XR


16:16 PIN

B:Blck
N:NATURE

- 1: GOLD FLASH PLATING ON CONTACT AREA,
GOLD FLASH PLATING ON SOLDER AREA
- 3: 3u" GOLD PLATING ON CONTACT AREA,
GOLD FLASH PLATING ON SOLDER AREA
- 5: 3u" GOLD PLATING ON CONTACT AREA,
GOLD FLASH PLATING ON SOLDER AREA


USB TYPE-C PIN ASSIGNMENTS

PIN NUMBER	SIGNAL NAME	PIN NUMBER	SIGNAL NAME
A1	GND	B12	GND
A4	VBUS	B9	VBUS
A5	CC1	B8	SBU2
A6	Dp1	B7	Dn2
A7	Dn1	B6	Dp2
A8	SBU1	B5	CC2
A9	VBUS	B4	VBUS
A12	GND	B1	GND




AFTER MATING
SCALE 1:1



REV.	DESCRIPTION	NAME	DATE
A	NEWS ISSUE	RainYi	2023/03/18



RECOMMEND P.C.B LAYOUT(COMPONENT SIDE)
TOLERANCE FOR PCB LAYOUT IS ± 0.05

TOLERANCE UNSPECIFIED . .0 ±0.35 .00 ±0.25 .000 ±0.15 X. ° ±1.00° ASSEMBLY DRAWING		X B 东莞市溪榜电子有限公司 DONG GUAN XI BANG ELECTRONI CS CO., LTD.		
		TITLE: USB TYPE C 16PIN, 板上垫高3.0mm(CH=4.58)		
DRAWN DATE	He. Long. Fei 2023/03/18	SIZE: A4	UNIT: mm.	PART. NO: XB-TYPEC-16P-2161
CHECKED DATE	Long. Liu. Ting 2023/03/18	SCALE: 1:1	PROJECTION 	REV.: A
APPROVED DATE	Lai. Hai. Jie 2023/03/18	DWG PATH	C00-0000-0085	PATH 2/3

REV.	DESCRIPTION	NAME	DATE
A	NEW ISSUE	RainYi	2023/03/18




NOTES

1.帶子引導長度

LEAD TAPE LENGTH

出料方向
PULL OUT DIRECTEON



2.上帶 剝離力為: 0.1~1.3N(10.2gf~130gf)

PEELING OFF FORCE OF TOP TAPE:0.1~1.3N(10.2gf~130gf)

出貨運輸過程中一定注意:


THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT:

卷帶在運輸過程中不能散開

PEELING OFF SHOULD NOT BE ALLOWED DURING TRANSPORTATION

TAPE & REEL 7 PCS


1 REEL
= 600 PCS



BOX

DIMENSIONS:
39.5X39.5X20

LABEL



1 CARTON
=6 REELS
=3600 PCS

TOLERANCE UNSPECIFIED

.0 ±0.35
.00 ±0.25
.000 ±0.15
X. ° ±1.00°
ASSEMBLY DRAWING

XB 东莞市溪榜电子有限公司
DONG GUAN XI BANG ELECTRONICS CO., LTD.

TITLE: USB TYPE C 16PIN,
板上垫高3.0mm(CH=4.58)

DRAWN DATE	He. Long. Fei 2023/03/18	SIZE:A4	UNIT:mm.	PART. NO:	XB-TYPEC-16P-2161
CHECKED DATE	Long. Liu. Ting 2023/03/18	SCALE: 1:1	PROJECTION	REV. : A	
APPROVED DATE	Lai. Hai. Jie 2023/03/18	DWG PATH	C00-0000-0085	PATH	3/3

包裝明細表 (The detail of the packing) Carton						
產品料號 (Product No.)	包裝容量 (Packing Capacity)			重量 Weight (Kg)		
	pcs/box	boxs/Carton	Pcs/Box	N.W./Pcs	N.W./Box	G.W./Box
XB-TYPEC-16P-2161	600	6	3600	----	----	----